

### **HOUSE BILL No. 1338**

DIGEST OF HB 1338 (Updated January 30, 2002 6:57 PM - DI 47)

Citations Affected: IC 4-12; IC 16-18; IC 16-44.

**Synopsis:** Tobacco farmers and rural community impact fund. Specifies that the agricultural mentoring, entrepreneurial leadership development, and tuition and scholarship assistance components of the tobacco farmers and rural community impact fund are restricted to displaced tobacco growers whose crop production has been reduced and to children and stepchildren of such growers. Provides that after July 23, 2004, gasoline sold, offered for sale, or used in Indiana may not contain more than one-half percent by volume of methyl tertiary butyl ether (MTBE).

Effective: July 1, 2002.

# Lytle, Bischoff, Duncan

January 15, 2002, read first time and referred to Committee on Agriculture, Natural Resources and Rural Development.

January 31, 2002, amended, reported — Do Pass.





#### Second Regular Session 112th General Assembly (2002)

PRINTING CODE. Amendments: Whenever an existing statute (or a section of the Indiana Constitution) is being amended, the text of the existing provision will appear in this style type, additions will appear in this style type, and deletions will appear in this style type.

Additions: Whenever a new statutory provision is being enacted (or a new constitutional provision adopted), the text of the new provision will appear in **this style type**. Also, the word **NEW** will appear in that style type in the introductory clause of each SECTION that adds a new provision to the Indiana Code or the Indiana Constitution.

Conflict reconciliation: Text in a statute in *this style type* or *this style type* reconciles conflicts between statutes enacted by the 2001 General Assembly.

## **HOUSE BILL No. 1338**

A BILL FOR AN ACT to amend the Indiana Code concerning state and local administration.

Be it enacted by the General Assembly of the State of Indiana:

SECTION 1. IC 4-12-9-3, AS AMENDED BY P.L.291-2001
SECTION 74, IS AMENDED TO READ AS FOLLOWS [EFFECTIVE
JULY 1, 2002]: Sec. 3. (a) Subject to subsection (b), money in the fund
shall be used for the following purposes:

- (1) Agricultural grant and loan programs to assist cooperative arrangements consisting of tobacco quota owners and tobacco growers working together to transition from tobacco production to other agricultural enterprises and to assist individual tobacco quota owners and tobacco growers who are in the process of transitioning to other agricultural enterprises.
- (2) Value-added cooperatives, incubators, and other enterprises or facilities established for the purpose of assisting tobacco quota owners and tobacco growers to capture additional revenues from non-tobacco agricultural commodities.
- (3) Agricultural mentoring programs, entrepreneurial leadership development, and tuition and scholarships to assist displaced tobacco growers whose tobacco crop production has been

HB 1338-LS 7018/DI 14+



6

7

8

9

10

11

12

13

14

15

16

17

C





y

1	reduced, and children and stepchildren of such displaced
2	tobacco growers, in acquiring new training and employment
3	skills.
4	(4) Academic research to identify new transitional crop
5	enterprises to replace tobacco production.
6	(5) Market facility development for marketing current and new
7	crop enterprises.
8	(6) Administrative and planning services for local communities
9	and economic development entities that suffer a negative impact
.0	from the loss of tobacco production.
. 1	(7) Establishment and operation of a regional economic
.2	development consortium to address common problems faced by
.3	local communities that suffer a negative impact from the loss of
.4	tobacco production.
. 5	(b) Expenditures from the fund are subject to appropriation by the
.6	general assembly and approval by the the commissioner of agriculture.
.7	The commissioner of agriculture may not approve an expenditure from
.8	the fund unless that expenditure has been recommended by the
.9	advisory board established by section 4 of this chapter.
20	SECTION 2. IC 16-18-2-242.9 IS ADDED TO THE INDIANA
21	CODE AS A NEW SECTION TO READ AS FOLLOWS
22	[EFFECTIVE JULY 1, 2002]: Sec. 242.9. "MTBE", for purposes of
23	IC 16-44-2, has the meaning set forth in IC 16-44-2-2.4.
23 24	IC 16-44-2, has the meaning set forth in IC 16-44-2-2.4. SECTION 3. IC 16-44-2-2.4 IS ADDED TO THE INDIANA CODE
23 24 25	IC 16-44-2, has the meaning set forth in IC 16-44-2-2.4.  SECTION 3. IC 16-44-2-2.4 IS ADDED TO THE INDIANA CODE AS A NEW SECTION TO READ AS FOLLOWS [EFFECTIVE JULY
23 24 25 26	IC 16-44-2, has the meaning set forth in IC 16-44-2-2.4.  SECTION 3. IC 16-44-2-2.4 IS ADDED TO THE INDIANA CODE AS A NEW SECTION TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: Sec. 2.4. As used in this chapter, "MTBE" refers to the
23 24 25 26 27	IC 16-44-2, has the meaning set forth in IC 16-44-2-2.4.  SECTION 3. IC 16-44-2-2.4 IS ADDED TO THE INDIANA CODE AS A NEW SECTION TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: Sec. 2.4. As used in this chapter, "MTBE" refers to the gasoline additive methyl tertiary butyl ether.
23 24 25 26 27	IC 16-44-2, has the meaning set forth in IC 16-44-2-2.4.  SECTION 3. IC 16-44-2-2.4 IS ADDED TO THE INDIANA CODE AS A NEW SECTION TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: Sec. 2.4. As used in this chapter, "MTBE" refers to the gasoline additive methyl tertiary butyl ether.  SECTION 4. IC 16-44-2-8 IS AMENDED TO READ AS
23 24 25 26 27 28	IC 16-44-2, has the meaning set forth in IC 16-44-2-2.4.  SECTION 3. IC 16-44-2-2.4 IS ADDED TO THE INDIANA CODE AS A NEW SECTION TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: Sec. 2.4. As used in this chapter, "MTBE" refers to the gasoline additive methyl tertiary butyl ether.  SECTION 4. IC 16-44-2-8 IS AMENDED TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: Sec. 8. (a) The inspections
23 24 25 26 27 28 29	IC 16-44-2, has the meaning set forth in IC 16-44-2-2.4.  SECTION 3. IC 16-44-2-2.4 IS ADDED TO THE INDIANA CODE AS A NEW SECTION TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: Sec. 2.4. As used in this chapter, "MTBE" refers to the gasoline additive methyl tertiary butyl ether.  SECTION 4. IC 16-44-2-8 IS AMENDED TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: Sec. 8. (a) The inspections and tests made by the state department under this chapter shall be
23 24 25 26 27 28 29 30	IC 16-44-2, has the meaning set forth in IC 16-44-2-2.4.  SECTION 3. IC 16-44-2-2.4 IS ADDED TO THE INDIANA CODE AS A NEW SECTION TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: Sec. 2.4. As used in this chapter, "MTBE" refers to the gasoline additive methyl tertiary butyl ether.  SECTION 4. IC 16-44-2-8 IS AMENDED TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: Sec. 8. (a) The inspections and tests made by the state department under this chapter shall be conducted in accordance with the methods outlined by the American
23 24 25 26 27 28 29 30 31	IC 16-44-2, has the meaning set forth in IC 16-44-2-2.4.  SECTION 3. IC 16-44-2-2.4 IS ADDED TO THE INDIANA CODE AS A NEW SECTION TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: Sec. 2.4. As used in this chapter, "MTBE" refers to the gasoline additive methyl tertiary butyl ether.  SECTION 4. IC 16-44-2-8 IS AMENDED TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: Sec. 8. (a) The inspections and tests made by the state department under this chapter shall be conducted in accordance with the methods outlined by the American Society for Testing and Materials.
23 24 25 26 27 28 29 30 31 32	IC 16-44-2, has the meaning set forth in IC 16-44-2-2.4.  SECTION 3. IC 16-44-2-2.4 IS ADDED TO THE INDIANA CODE AS A NEW SECTION TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: Sec. 2.4. As used in this chapter, "MTBE" refers to the gasoline additive methyl tertiary butyl ether.  SECTION 4. IC 16-44-2-8 IS AMENDED TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: Sec. 8. (a) The inspections and tests made by the state department under this chapter shall be conducted in accordance with the methods outlined by the American Society for Testing and Materials.  (b) The inspections and tests as to gasoline, gasohol, and kerosene
23 24 25 26 27 28 29 30 31 32	IC 16-44-2, has the meaning set forth in IC 16-44-2-2.4.  SECTION 3. IC 16-44-2-2.4 IS ADDED TO THE INDIANA CODE AS A NEW SECTION TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: Sec. 2.4. As used in this chapter, "MTBE" refers to the gasoline additive methyl tertiary butyl ether.  SECTION 4. IC 16-44-2-8 IS AMENDED TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: Sec. 8. (a) The inspections and tests made by the state department under this chapter shall be conducted in accordance with the methods outlined by the American Society for Testing and Materials.  (b) The inspections and tests as to gasoline, gasohol, and kerosene must reflect the following minimum specifications necessary for the
23 24 25 26 27 28 29 30 31 32 33 34	IC 16-44-2, has the meaning set forth in IC 16-44-2-2.4.  SECTION 3. IC 16-44-2-2.4 IS ADDED TO THE INDIANA CODE AS A NEW SECTION TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: Sec. 2.4. As used in this chapter, "MTBE" refers to the gasoline additive methyl tertiary butyl ether.  SECTION 4. IC 16-44-2-8 IS AMENDED TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: Sec. 8. (a) The inspections and tests made by the state department under this chapter shall be conducted in accordance with the methods outlined by the American Society for Testing and Materials.  (b) The inspections and tests as to gasoline, gasohol, and kerosene must reflect the following minimum specifications necessary for the approval of the product:
23 24 25 26 27 28 29 30 31 32 33 34 35	IC 16-44-2, has the meaning set forth in IC 16-44-2-2.4.  SECTION 3. IC 16-44-2-2.4 IS ADDED TO THE INDIANA CODE AS A NEW SECTION TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: Sec. 2.4. As used in this chapter, "MTBE" refers to the gasoline additive methyl tertiary butyl ether.  SECTION 4. IC 16-44-2-8 IS AMENDED TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: Sec. 8. (a) The inspections and tests made by the state department under this chapter shall be conducted in accordance with the methods outlined by the American Society for Testing and Materials.  (b) The inspections and tests as to gasoline, gasohol, and kerosene must reflect the following minimum specifications necessary for the approval of the product:  (1) Gasoline or gasohol:
23 24 25 26 27 28 29 30 31 32 33 34 35 36	IC 16-44-2, has the meaning set forth in IC 16-44-2-2.4.  SECTION 3. IC 16-44-2-2.4 IS ADDED TO THE INDIANA CODE AS A NEW SECTION TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: Sec. 2.4. As used in this chapter, "MTBE" refers to the gasoline additive methyl tertiary butyl ether.  SECTION 4. IC 16-44-2-8 IS AMENDED TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: Sec. 8. (a) The inspections and tests made by the state department under this chapter shall be conducted in accordance with the methods outlined by the American Society for Testing and Materials.  (b) The inspections and tests as to gasoline, gasohol, and kerosene must reflect the following minimum specifications necessary for the approval of the product:  (1) Gasoline or gasohol:  (A) Corrosion Test \(\frac{1}{2}\) Method ASTM D-130. A clean copper
23 24 25 26 27 28 29 30 31 32 33 34 35 36 37	IC 16-44-2, has the meaning set forth in IC 16-44-2-2.4.  SECTION 3. IC 16-44-2-2.4 IS ADDED TO THE INDIANA CODE AS A NEW SECTION TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: Sec. 2.4. As used in this chapter, "MTBE" refers to the gasoline additive methyl tertiary butyl ether.  SECTION 4. IC 16-44-2-8 IS AMENDED TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: Sec. 8. (a) The inspections and tests made by the state department under this chapter shall be conducted in accordance with the methods outlined by the American Society for Testing and Materials.  (b) The inspections and tests as to gasoline, gasohol, and kerosene must reflect the following minimum specifications necessary for the approval of the product:  (1) Gasoline or gasohol:  (A) Corrosion Test \(\text{L}\) Method ASTM D-130. A clean copper strip may not show more than extremely slight discoloration
23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38	IC 16-44-2, has the meaning set forth in IC 16-44-2-2.4.  SECTION 3. IC 16-44-2-2.4 IS ADDED TO THE INDIANA CODE AS A NEW SECTION TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: Sec. 2.4. As used in this chapter, "MTBE" refers to the gasoline additive methyl tertiary butyl ether.  SECTION 4. IC 16-44-2-8 IS AMENDED TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: Sec. 8. (a) The inspections and tests made by the state department under this chapter shall be conducted in accordance with the methods outlined by the American Society for Testing and Materials.  (b) The inspections and tests as to gasoline, gasohol, and kerosene must reflect the following minimum specifications necessary for the approval of the product:  (1) Gasoline or gasohol:  (A) Corrosion Test \(\frac{1}{2}\) Method ASTM D-130. A clean copper strip may not show more than extremely slight discoloration when submerged in the gasoline for three (3) hours at one
23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39	IC 16-44-2, has the meaning set forth in IC 16-44-2-2.4.  SECTION 3. IC 16-44-2-2.4 IS ADDED TO THE INDIANA CODE AS A NEW SECTION TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: Sec. 2.4. As used in this chapter, "MTBE" refers to the gasoline additive methyl tertiary butyl ether.  SECTION 4. IC 16-44-2-8 IS AMENDED TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: Sec. 8. (a) The inspections and tests made by the state department under this chapter shall be conducted in accordance with the methods outlined by the American Society for Testing and Materials.  (b) The inspections and tests as to gasoline, gasohol, and kerosene must reflect the following minimum specifications necessary for the approval of the product:  (1) Gasoline or gasohol:  (A) Corrosion Test \(\frac{1}{2}\) Method ASTM D-130. A clean copper strip may not show more than extremely slight discoloration when submerged in the gasoline for three (3) hours at one hundred twenty-two (122) degrees Fahrenheit.
23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38	IC 16-44-2, has the meaning set forth in IC 16-44-2-2.4.  SECTION 3. IC 16-44-2-2.4 IS ADDED TO THE INDIANA CODE AS A NEW SECTION TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: Sec. 2.4. As used in this chapter, "MTBE" refers to the gasoline additive methyl tertiary butyl ether.  SECTION 4. IC 16-44-2-8 IS AMENDED TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: Sec. 8. (a) The inspections and tests made by the state department under this chapter shall be conducted in accordance with the methods outlined by the American Society for Testing and Materials.  (b) The inspections and tests as to gasoline, gasohol, and kerosene must reflect the following minimum specifications necessary for the approval of the product:  (1) Gasoline or gasohol:  (A) Corrosion Test \(\frac{1}{2}\) Method ASTM D-130. A clean copper strip may not show more than extremely slight discoloration when submerged in the gasoline for three (3) hours at one



1	Fahrenheit, not less than ten percent (10%) may be evaporated.
2	When the thermometer reads two hundred eighty-four (284)
3	degrees Fahrenheit, not less than fifty percent (50%) may be
4	evaporated. When the thermometer reads three hundred
5	ninety-two (392) degrees Fahrenheit, not less than ninety
6	percent (90%) may be evaporated. The residue may not exceed
7	two percent (2%). Percent evaporated is found by adding the
8	distillation loss to the amount collected in the receiver at each
9	specification temperature.
10	(C) Sulphur Ł Method ASTM D-1266 or D-2622. Sulphur may
11	not exceed twenty-five hundredths of one percent (0.25%).
12	(D) Vapor Pressure Ł Method ASTM D-4953, ASTM D-5191,
13	or any other ASTM method to determine vapor pressure
14	approved by the United States Environmental Protection
15	Agency. For gasoline, the Reid vapor pressure at one hundred
16	(100) degrees Fahrenheit may not exceed the following:
17	(i) Fifteen (15) pounds per square inch at the normal
18	barometric pressure at the point of delivery during
19	November, December, January, February, and March.
20	(ii) Fourteen (14) pounds per square inch during April and
21	October.
22	(iii) Twelve (12) pounds per square inch during May, June,
23	July, August, and September.
24	(E) For gasohol (a blend of gasoline and alcohol permitted
25	under federal tax requirements), the vapor pressure may not
26	exceed the following:
27	(i) Sixteen (16) pounds per square inch during November,
28	December, January, February, and March.
29	(ii) Fifteen (15) pounds per square inch during April and
30	October.
31	(iii) Thirteen (13) pounds per square inch during May, June,
32	July, August, and September.
33	(F) After July 23, 2004, gasoline may not contain more
34	than one-half percent (0.5%) of MTBE by volume.
35	(2) Kerosene:
36	(A) Flash Test Ł Method ASTM D-56. Flash point may not be
37	lower than one hundred (100) degrees Fahrenheit.
38	(B) For the purpose of this chapter, any petroleum product
39	designated by name or reference as "kerosene" must meet the
40	federal specifications for kerosene VV-K-211d in effect on
41	March 1, 1977.
42	(c) Gasoline, gasohol, and kerosene products that do not comply



1	with the minimum specifications described in subsection (b) may no
2	be sold, offered for sale, or used in Indiana.
3	(d) Petroleum products other than gasoline, gasohol, or kerosene
4	shall be inspected and tested by the methods as are necessary to

(d) Petroleum products other than gasoline, gasohol, or kerosene
shall be inspected and tested by the methods as are necessary to
determine the contents and characteristics of the product.



5

#### COMMITTEE REPORT

Mr. Speaker: Your Committee on Agriculture, Natural Resources and Rural Development, to which was referred House Bill 1338, has had the same under consideration and begs leave to report the same back to the House with the recommendation that said bill be amended as follows:

Page 2, after line 19, begin a new paragraph and insert:

"SECTION 2. IC 16-18-2-242.9 IS ADDED TO THE INDIANA CODE AS A **NEW** SECTION TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: **Sec. 242.9.** "MTBE", for purposes of **IC 16-44-2**, has the meaning set forth in **IC 16-44-2-2.4**.

SECTION 3. IC 16-44-2-2.4 IS ADDED TO THE INDIANA CODE AS A **NEW** SECTION TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: **Sec. 2.4.** As used in this chapter, "MTBE" refers to the gasoline additive methyl tertiary butyl ether.

SECTION 4. IC 16-44-2-8 IS AMENDED TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2002]: Sec. 8. (a) The inspections and tests made by the state department under this chapter shall be conducted in accordance with the methods outlined by the American Society for Testing and Materials.

- (b) The inspections and tests as to gasoline, gasohol, and kerosene must reflect the following minimum specifications necessary for the approval of the product:
  - (1) Gasoline or gasohol:
    - (A) Corrosion Test \( \) Method ASTM D-130. A clean copper strip may not show more than extremely slight discoloration when submerged in the gasoline for three (3) hours at one hundred twenty-two (122) degrees Fahrenheit.
    - (B) Distillation Range & Method ASTM D-86. When the thermometer reads one hundred sixty-seven (167) degrees Fahrenheit, not less than ten percent (10%) may be evaporated. When the thermometer reads two hundred eighty-four (284) degrees Fahrenheit, not less than fifty percent (50%) may be evaporated. When the thermometer reads three hundred ninety-two (392) degrees Fahrenheit, not less than ninety percent (90%) may be evaporated. The residue may not exceed two percent (2%). Percent evaporated is found by adding the distillation loss to the amount collected in the receiver at each specification temperature.
    - (C) Sulphur & Method ASTM D-1266 or D-2622. Sulphur may not exceed twenty-five hundredths of one percent (0.25%).
    - (D) Vapor Pressure & Method ASTM D-4953, ASTM D-5191,

HB 1338—LS 7018/DI 14+



C







or any other ASTM method to determine vapor pressure approved by the United States Environmental Protection Agency. For gasoline, the Reid vapor pressure at one hundred (100) degrees Fahrenheit may not exceed the following:

- (i) Fifteen (15) pounds per square inch at the normal barometric pressure at the point of delivery during November, December, January, February, and March.
- (ii) Fourteen (14) pounds per square inch during April and October.
- (iii) Twelve (12) pounds per square inch during May, June, July, August, and September.
- (E) For gasohol (a blend of gasoline and alcohol permitted under federal tax requirements), the vapor pressure may not exceed the following:
  - (i) Sixteen (16) pounds per square inch during November, December, January, February, and March.
  - (ii) Fifteen (15) pounds per square inch during April and October.
  - (iii) Thirteen (13) pounds per square inch during May, June, July, August, and September.
- (F) After July 23, 2004, gasoline may not contain more than one-half percent (0.5%) of MTBE by volume.
- (2) Kerosene:
  - (A) Flash Test & Method ASTM D-56. Flash point may not be lower than one hundred (100) degrees Fahrenheit.
  - (B) For the purpose of this chapter, any petroleum product designated by name or reference as "kerosene" must meet the federal specifications for kerosene VV-K-211d in effect on March 1, 1977.
- (c) Gasoline, gasohol, and kerosene products that do not comply with the minimum specifications described in subsection (b) may not be sold, offered for sale, or used in Indiana.
- (d) Petroleum products other than gasoline, gasohol, or kerosene shall be inspected and tested by the methods as are necessary to determine the contents and characteristics of the product.".

Renumber all SECTIONS consecutively.

and when so amended that said bill do pass.

(Reference is to HB 1338 as introduced.)

LYTLE, Chair

Committee Vote: yeas 11, nays 0.

HB 1338-LS 7018/DI 14+



G





У